

GLANCE OUT

Specification sheet



GLANCE-OUT

Glance-Out è un apparecchio di illuminazione per esterni, studiato per valorizzare superfici e materiali attraverso un sofisticato effetto di luce radente.

Grazie alla varietà di ottiche disponibili, assicura grande versatilità applicativa.

Il sistema di regolazione graduato della rotazione permette un puntamento preciso e immediato del fascio luminoso.

Glance-Out is an outdoor lighting fixture designed to enhance surfaces and materials through a sophisticated grazing light effect.

Thanks to the variety of available optics, it ensures great application versatility.

The graduated rotation adjustment system allows for precise and immediate aiming of the light beam.

Dettagli

Tipologia di installazione:

Plafone, Appoggio

Applicazione:

Edifici storici e Monumenti,
Residenziale e Industriale,
Aree esterne e Serre,
Hospitality, Paesaggi urbani
e Spazi pubblici


Dettagli

Installation Type:

Ceiling, Surface

Application:

Historic Buildings and Monuments,
Residential and Industrial,
Outdoor Areas and Greenhouses,
Hospitality, Urban Landscapes
and Public Spaces



Compatible



A pagina accanto: sede di Pedrollo Spa, Verona: illuminazione uniforme sulla cascata alta 10 metri con ottiche radenti ellittiche Wall Grazing asimmetriche. Progetto: Urbano Lighting

A fianco: esterno di una residenza privata con illuminazione uniforme del muro con ottiche radenti Ellittiche Wall Grazing. L'illuminazione radente mette in risalto la superficie delle pareti, creando un suggestivo effetto di chiaro-scuro.

In basso: edificio uffici con facciata vetrata e ingresso illuminato con ottiche Super Spot.

In the next page: Pedrollo Spa headquarters, Verona – uniform illumination on the 10-meter-high waterfall using asymmetric elliptical Wall Grazing optics. Project: Urbano Lighting.

Next to it: exterior of a private residence with uniform wall illumination using elliptical Wall Grazing optics. The grazing light enhances the surface texture of the walls, creating a striking chiaroscuro effect.

Below: office building with a glass façade and entrance illuminated with Super Spot optics.






Headquarter Pedrollo SpA, Verona | Glimce-Out
Headquarter Pedrollo SpA, Verona | Glimce-Out

Per illuminare l'intera superficie verticale della cascata e esaltare l'effetto dell'acqua che scorre, è stato utilizzato il Glimce-Out. Per illuminare uniformemente l'intera parete, gli apparecchi sono stati posizionati sia in alto che in basso.

To illuminate the entire vertical surface of the waterfall and enhance the effect of the flowing water, the Glimce-Out was used. To evenly illuminate the entire wall, the fixtures were positioned both at the top and bottom.

Sede dell'azienda di produzione pompe idrauliche, Verona. Progetto: Urbano Lighting.
Headquarters of the water pump manufacturing company, Verona. Project: Urbano Lighting.



Product

GLANCE-OUT

Application

Ceiling, Surface



Vertically
ceiling-mounted



Floor-mounted



Horizontal
ceiling-mounted


CRI

> 90, 3 Step Mac Adam

Finishes



GLANCE-OUT 25



LED Power

6,5W / 24V

CCT / lm

2700K / 820lm


3000K / 878lm

4000K / 937lm

Remote Driver

24VdC

GLANCE-OUT 50



LED Power

13W / 24V

CCT / lm

2700K / 1640lm


3000K / 1755lm

4000K / 1873lm

Remote Driver

24VdC

GLANCE-OUT 100



LED Power

26W / 24V

CCT / lm

2700K / 3280lm

3000K / 3520lm

4000K / 3746lm

Remote Driver

24VdC

Optics



Super
Spot



Spot



Medium



Flood



Wide
Flood



Wide



Super Spot
Asymmetric



Wall Grazing



Wall Grazing
Asymmetric

